

## Publicaties

---

Vierhout BP, Smit JM, Zeebregts CJ. Covering of an exposed vascular graft in the groin with an external oblique muscle rotational flap. *J Surg Case Rep.* 2017;2017:rjx009.

van Alphen TC, Fechner MR, Smit JM, Slooter GD, Broekhuysen CL. The laparoscopically harvested omentum as a free flap for autologous breast reconstruction. *Microsurgery.* 2016 [Epub ahead of print]

van Onna MA, Haj M, Smit JM, Hoogbergen MM. Long-term outcome of the cheek advancement flap, a report of 41 cases. *J Plast Surg Hand Surg.* 2016;50:354-358.

Haagsma A, de Boer HL, Quintus AC, Strikkeling NJ, Zeebregts CJ, Smit JM. Treatment of mallet fingers in Dutch hospitals: a nationwide survey of practice. *Eur J Emerg Med.* 2015;22:211-4.

Veth IM, Nguyen DT, de Boer HL, Smit JM. [Interpretation of hand injuries: 10 tips]. *Ned Tijdschr Geneeskd.* 2014;158(0):A7570. Dutch.

Grosfeld EC, Smit JM, Krekels GA, van Rappard JH, Hoogbergen MM. Facial reconstruction following Mohs micrographic surgery: a report of 622 cases. *J Cutan Med Surg.* 2014;18:265-70.

Ooms LS, Beets MR, Grosfeld EC, Beems EM, Krekels GA, Smit JM, Hoogbergen MM. Reconstruction of the lower eyelid using Hughes' tarsoconjunctival flap: follow up of 28 cases. *J Plast Reconstr Aesthet Surg.* 2014;67:e177-9.

Smit JM, Tielemans HJ, de Vries B, Tuinder SM. Recurrence of invasive ductal breast carcinoma 10 months after autologous fat grafting. *J Plast Reconstr Aesthet Surg.* 2014;67:e127-8.

Klein S, Van Lienden KP, Van't Veer M, Smit JM, Werker PM. Evaluation of the lower limb vasculature before free fibula flap transfer. A prospective blinded comparison between magnetic resonance angiography and digital subtraction angiography. *Microsurgery.* 2013;33:539-44.

Smit JM, Darcy CM, Audolfsson T, Hartman EH, Acosta R. Multilayer reconstructions for defects overlying the Achilles tendon with the lateral-arm flap: Long-term follow-up of 16 cases. *Microsurgery.* 2012;32:438-44.

Smit JM, Klein S, de Jong EH, Zeebregts CJ, de Bock GH, Werker PM. Value of the implantable doppler system in free flap monitoring. *J Plast Reconstr Aesthet Surg.* 2012;65:1276-7.

Bauland CG, Smit JM, Scheffers SM, Bartels RH, van den Berg P, Zeebregts CJ, Spauwen PH. Similar risk for hemangiomas after amniocentesis and transabdominal chorionic villus sampling. *J Obstet Gynaecol Res.* 2012;38:371-5.

Bauland CG, Lüning TH, Smit JM, Zeebregts CJ, Spauwen PH. Untreated hemangiomas: growth pattern and residual lesions. *Plast Reconstr Surg.* 2011;127:1643-8.

van Haren ELWG, Smit JM, van Rappard JHA, Hoogbergen MM. Ervaringen met de getunnelde supraclaviculaire eilandlap: klinische les uit 5 casus. *Nederlands Tijdschrift voor Plastische Chirurgie*. 2011;2:138-76.

Smit JM. Het effect van peri-operatieve innovaties in vrije lapreconstructie. *Nederlands Tijdschrift voor Plastische Chirurgie*. 2011;2:98-136.

Enajat M, Rozen WM, Whitaker IS, Smit JM, Van Der Hulst RR, Acosta R. The deep inferior epigastric artery perforator flap for autologous reconstruction of large partial mastectomy defects. *Microsurgery*. 2011;31:12-7.

Beynum IM van, Bauland CG, Smit J, Hermans DJJ, Vleuten CJM van der. De praktische behandeling van hemangiomen. *Praktische Pediatrie*. 2010;4.

Acosta R, Smit JM, Audolfsson T, Darcy CM, Enajat M, Kildal M, Liss AG. A Clinical Review of 9 Years of Free Perforator Flap Breast Reconstructions: An Analysis of 675 Flaps and the Influence of New Techniques on Clinical Practice. *J Reconstr Microsurg*. 2011;27:91-8.

Darcy CM, Smit JM, Audolfsson T, Acosta R. Surgical technique: The intercostal space approach to the internal mammary vessels in 463 microvascular breast reconstructions. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2011;64:58-62.

Smit JM, Beets MR, Zeebregts CJ, Rood A, Welters CF. Treatment options for mallet finger: a review. *Plast Reconstr Surg*. 2010;126:1624-9.

Bauland CG, Smit JM, Bartelink LR, Zondervan HA, Spauwen PH. Hemangioma in the newborn: increased incidence after chorionic villus sampling. *Prenatal Diagnosis*. 2010;30:913-7.

Smit JM, Klein S, Werker PM. An overview of methods for vascular mapping in the planning of free flaps. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2010;63:e674-82.

Smit JM, Werker PM, Liss AG, Enajat M, de Bock GH, Audolfsson T, Acosta R. Introduction of the implantable Doppler system did not lead to an increased salvage rate of compromised flaps: a multivariate analysis. *Plastic and Reconstructive Surgery*. 2010;125:1710-7.

Enajat M, Smit JM, Rozen WM, Hartman EH, Liss A, Kildal M, Audolfsson T, Acosta R. Aesthetic refinements and reoperative procedures following 370 consecutive DIEP and SIEA flap breast reconstructions: important considerations for patient consent. *Aesthetic Plastic Surgery*. 2010 ;34:306-12.

Smit JM, Zeebregts CJ, Acosta R, Werker PM. Advancements in free flap monitoring in the last decade: a critical review. *Plastic and Reconstructive Surgery*. 2010;125:177-85.

Smit JM, Scheele K, Lapid O, Hoogbergen MM. Management of tattoos in the operative field. *Annals of Plastic Surgery*. 2010;64:125-7.

Smit JM, Audolfsson T, Whitaker IS, Werker PM, Acosta R, Liss AG. Measuring the pressure in the superficial inferior epigastric vein to monitor for venous congestion in deep inferior epigastric artery perforator breast reconstructions: a pilot study. *Journal of Reconstructive Microsurgery*. 2010;26:103-7.

Enajat M, Rozen WM, Whitaker IS, Smit JM, Acosta R. A single center comparison of one versus two venous anastomoses in 564 consecutive DIEP flaps: investigating the effect on venous congestion and flap survival. *Microsurgery*. 2010;30:185-91.

Smit JM, Ruhe PQ, Acosta R, Kooloos JG, Hartman EH. The nasolabial fold as potential vascular receptor site: an anatomic study. *Journal of Reconstructive Microsurgery*. 2009;25:539-43.

Enajat M, de Boer L, Smit JM. A dislocation of the carpal-metacarpal joints of the index, middle and ring finger. *American Journal of Emergency Medicine*. 2009;27:630.e1-2.

Acosta R, Enajat M, Rozen WM, Smit JM, Wagstaff MJ, Whitaker IS, Audolfsson T. Performing two DIEP flaps in a working day: an achievable and reproducible practice. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2010;63:648-54.

Whitaker IS, Smit JM, Rozen W, Dimopoulou A, Acosta R. Pre operative computed tomographic angiography (CTA): a valuable lesson in planning DIEP flaps. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2009;62:551.

Whitaker IS, Rozen WM, Smit JM, Dimopoulou A, Ashton MW, Acosta R. Peritoneo-cutaneous perforators in deep inferior epigastric perforator flaps: a cadaveric dissection and computed tomographic angiography study. *Microsurgery*. 2009;29:124-7.

Smit JM, Zeebregts CJ, Acosta R. Timing of presentation of the first signs of vascular compromise dictates the salvage outcome of free flap transfers. *Plastic and Reconstructive Surgery*. 2008;122:991-2.

Smit JM, Whitaker IS, Liss AG, Audolfsson T, Kildal M, Acosta R. Post operative monitoring of microvascular breast reconstructions using the implantable Cook-Swartz doppler system: a study of 145 probes & technical discussion. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2009;62:1286-92.

Smit JM, Dimopoulou A, Liss AG, Zeebregts CJ, Kildal M, Whitaker IS, Magnusson A, Acosta R. Preoperative CT angiography reduces surgery time in perforator flap reconstruction. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2009;62:1112-7.

Whitaker IS, Smit JM, Acosta R. A simple method of implantable Doppler cuff attachment: experience in 150 DIEP breast reconstructions. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2008;61:1251-2.

Smit JM, Whitaker IS, Acosta R. A simple adjunct to facilitate hand held Doppler perforator localisation following microsurgical breast reconstruction. *Journal of Plastic, Reconstructive and Aesthetic Surgery*. 2008;61:1194.

Bauland CG, Smit JM, Ketelaars R, Rieu PN, Spauwen PH. Management of haemangiomas of infancy: a retrospective analysis and a treatment protocol. *Scandinavian Journal of Plastic Reconstructive Surgery and Hand Surgery*. 2008;42:86-91.

Smit JM, Acosta R, Zeebregts CJ, Liss AG, Anniko M, Hartman EH. Early reintervention of compromised free flaps improves success rate. *Microsurgery*. 2007;27:612-6.

Smit JM, Hartman EH, Acosta R. Clinical experience with the nasolabial fold as receptor site in microvascular reconstruction. *Microsurgery*. 2007;27:608-11.

Smit JM, Spauwen PHM. Painful ulcers on the fingertips in hereditary hemorrhagic telangiectasia: a case report. *European Journal of Plastic Surgery* 2006;28:480-2.

Smit JM, Bauland CG, Wijnberg DS, Spauwen PH. Pulsed dye laser treatment, a review of indications and outcome based on published trials. *British Journal of Plastic Surgery*. 2005;58:981-7.